

# Masterworks

## BASS DRUM ORDER FORM

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Bass Drum. Please refer to the Price List for available sizes.

    X      
Diameter      Depth

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Bass Drum. Please refer to the Shell Selection Guide in the Price List for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to **Step 4** below.

- all Maple
- all Birch
- all African Mahogany
- CarbonPly Maple w/High Gloss Black Carbon Fiber Finish\*
- CarbonPly Maple w/Matte Black Carbon Fiber Finish\*

\*CarbonPly Maple features a specially blended shell with an inner and outer ply of carbon fiber over a 5.4mm 6 ply maple core with 45 degree bearing edges.  
**Note:** CarbonPly Maple is only available in this shell configuration and color.  
If you chose CarbonPly Maple, please proceed to **Step 5**.

- **Step 4.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in **Step 2**.

### Inside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Middle Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Outside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8
- Artisan\* # of plies  2

\*Please see Step 8 for Artisan Veneer

- **Step 5.** Specify the **BEARING EDGE**.

- 45 Degree, top **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- 45 Degree, bottom **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- Rounded 45 Degree, top
- Rounded 45 Degree, bottom
- Fully Rounded, top
- Fully Rounded, bottom

- **Step 6.** Choose the **HOOP WIDTH**.

- 2" (uses CW-300 or D-055 claws)
- 1.5" (uses CW-300 or D-054 claws)

- **Step 7.** Specify the **AIR VENT**.

- Standard Position w/Round Die Cast Air Vent (Gold Plated)
- Golden Ratio Position w/Pentagonal Die Cast Air Vent (Gold Plated)

- **Step 8.** Specify the **EXTERIOR FINISH**. Choose from our selection of available lacquer finishes and Artisan wood veneers, or specify a custom lacquer finish, or color-match an existing Masterworks drum or kit. **Note:** Artisan veneers are 2 plies--the outer veneer plus a carrier wood. Burl mahogany outer veneer is laminated to a mahogany carrier; all other outer veneers are laminated to a maple carrier. Remember that the total number of plies should match your choice in **Step 2**.

- Available Lacquer Finish

Specify Finish - Please go to [www.pearldrums.com](http://www.pearldrums.com) to view available finishes

- Custom Lacquer Finish

Tape a swatch of the custom color here. Only one swatch is required per kit.

- ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Tamo
- Eucalyptus

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- **Step 9.** Specify the following **HARDWARE** options.

### Hardware Color

- Chrome Plated
- Gold Plated
- Black Chrome Plated

### BB-3 Bracket

- Yes
- No

### Lugs

- BRL-300 (Reference)
- CL-250 (Masters Premium)

### Claws

- CW-300 (Reference, Masters Premium) for 1.5" & 2" Wide Hoops
- D-055 (Masters MCX) for 2" Wide Hoops
- D-054 (Masters MCX) for 1.5" Wide Hoops

### Spurs

- SP-300 (Reference, Masters Premium)
- SP-30 (Masters MCX)

# Masterworks

## RACK TOM ORDER FORM

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Rack Tom. Please refer to the Price List for available sizes.

         X           
Diameter      Depth

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Rack Tom. Please refer to the Shell Selection Guide in the Price List for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to **Step 4** below.

- all **Maple**
- all **Birch**
- all **African Mahogany**

- CarbonPly Maple** w/High Gloss Black Carbon Fiber Finish\*
- CarbonPly Maple** w/Matte Black Carbon Fiber Finish\*

\***CarbonPly Maple** features a specially blended shell with an inner and outer ply of carbon fiber over a 5.4mm 6 ply maple core with 45 degree bearing edges. **Note:** CarbonPly Maple is only available in this shell configuration and color. If you chose CarbonPly Maple, please proceed to **Step 5**.

- **Step 4.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in Step 2.

### Inside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Middle Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Outside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8
- Artisan\* # of plies  2

\*Please see Step 7 for Artisan Veneer choices.

- **Step 5.** Specify the **BEARING EDGE**.

- 45 Degree, top **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- 45 Degree, bottom **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- Rounded 45 Degree, top
- Rounded 45 Degree, bottom
- Fully Rounded, top
- Fully Rounded, bottom

- **Step 6.** Specify the **AIR VENT**.

- Standard Position w/Round Die Cast Air Vent (Gold Plated)
- Golden Ratio Position w/Pentagonal Die Cast Air Vent (Gold Plated)

- **Step 7.** Specify the **EXTERIOR FINISH**. Choose from our selection of available lacquer finishes and Artisan wood veneers, or specify a custom lacquer finish, or color-match an existing Masterworks drum or kit. **Note:** Artisan veneers are 2 plies--the outer veneer plus a carrier wood. Burl mahogany outer veneer is laminated to a mahogany carrier; all other outer veneers are laminated to a maple carrier. Remember that the total number of plies should match your choice in Step 2.

- Available Lacquer Finish**

Specify Finish - Please go to [www.pearldrums.com](http://www.pearldrums.com) to view available finishes

- Custom Lacquer Finish**

Tape a swatch of the custom color here. Only one swatch is required per kit.

- ARTISAN Outer Veneer**

- Bubinga
- Burl Mahogany
- Tamo
- Eucalyptus

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- **Step 8.** Specify the following **HARDWARE** options.

### Hardware Color

- Chrome Plated
- Gold Plated
- Black Chrome Plated

### Hoops

- Die Cast
- SuperHoop II

### Lugs

- BRL-100 (Reference)
- CL-100 (Masters Premium)

### Mounting Bracket

- OptiMount (Aluminum)
- I.S.S. (used with SuperHoop II only)

# Masterworks

## FLOOR TOM ORDER FORM

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Floor Tom. Please refer to the Price List for available sizes.

         X           
Diameter      Depth

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Floor Tom. Please refer to the Shell Selection Guide in the Price List for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to **Step 4** below.

- all Maple
- all Birch
- all African Mahogany
- CarbonPly Maple w/High Gloss Black Carbon Fiber Finish\*
- CarbonPly Maple w/Matte Black Carbon Fiber Finish\*

\*CarbonPly Maple features a specially blended shell with an inner and outer ply of carbon fiber over a 5.4mm 6 ply maple core with 45 degree bearing edges.  
**Note:** CarbonPly Maple is only available in this shell configuration and color.  
If you chose CarbonPly Maple, please proceed to **Step 5**.

- **Step 4.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. Remember, the total number of plies should match your choice in Step 2.

### Inside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Middle Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8

### Outside Plies

- Maple # of plies  2  4  6  8
- Birch # of plies  2  4  6  8
- Mahogany # of plies  2  4  6  8
- Artisan\* # of plies  2

\*Please see Step 7 for Artisan Veneer choices.

- **Step 5.** Specify the **BEARING EDGE**.

- 45 Degree, top **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- 45 Degree, bottom **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- Rounded 45 Degree, top
- Rounded 45 Degree, bottom
- Fully Rounded, top
- Fully Rounded, bottom

- **Step 6.** Specify the **AIR VENT**.

- Standard Position w/Round Die Cast Air Vent (Gold Plated)
- Golden Ratio Position w/Pentagonal Die Cast Air Vent (Gold Plated)

- **Step 7.** Specify the **EXTERIOR FINISH**. Choose from our selection of available lacquer finishes and Artisan wood veneers, or specify a custom lacquer finish, or color-match an existing Masterworks drum or kit. **Note:** Artisan veneers are 2 plies--the outer veneer plus a carrier wood. Burl mahogany outer veneer is laminated to a mahogany carrier; all other outer veneers are laminated to a maple carrier. Remember that the total number of plies should match your choice in Step 2.

- Available Lacquer Finish

Specify Finish - Please go to [www.pearldrums.com](http://www.pearldrums.com) to view available finishes

- Custom Lacquer Finish

Tape a swatch of the custom color here. Only one swatch is required per kit.

- ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Tamo
- Eucalyptus

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- **Step 8.** Specify the following **HARDWARE** options.

### Hardware Color

- Chrome Plated
- Gold Plated
- Black Chrome Plated

### Hoops

- Die Cast
- SuperHoop II

### Lugs

- BRL-100 (Reference)
- CL-100 (Masters Premium)

### Leg Brackets / Legs

- LB-200/LG-200 (Reference, Masters Premium)
- LB-40/LG-40 (Masters MCX)
- Extra Long Legs (27")

# Masterworks

## SNARE DRUM ORDER FORM

- **Step 1.** Specify the **DIAMETER** and **DEPTH** of your Snare Drum. Please refer to the Price List for available sizes.

X  
-----  
Diameter      Depth

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Snare Drum. Please refer to the Shell Selection Guide in the Price List for available shell thickness.

- 1 ply, 7.5mm (14"x5.5" and 14"x6.5" MAPLE only)
- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm
- 20 ply, 25mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a **Blended Shell**, skip to **Step 4** below.

- all Maple
- all Birch
- all African Mahogany

- CarbonPly Maple w/High Gloss Black Carbon Fiber Finish\*
- CarbonPly Maple w/Matte Black Carbon Fiber Finish\*

\*CarbonPly Maple features a specially blended shell with an inner and outer ply of carbon fiber over a 5.4mm 6 ply maple core with 45 degree bearing edges.  
**Note:** CarbonPly Maple is only available in this shell configuration and color.  
If you chose CarbonPly Maple, please proceed to **Step 5**.

- **Step 4.** You can create a **BLENDED SHELL** by specifying the type of wood and the number of plies from the choices below. 4, 6, 8, 10, and 20 ply **BLENDED SHELLS** are possible. Remember, the total number of plies should match your choice in **Step 2**.

### Inside Plies

- Maple # of plies  2  4  6  8  10  12  14  16  18
- Birch # of plies  2  4  6  8  10  12  14  16  18
- Mahogany # of plies  2  4  6  8  10  12  14  16  18

### Middle Plies

- Maple # of plies  2  4  6  8  10  12  14  16
- Birch # of plies  2  4  6  8  10  12  14  16
- Mahogany # of plies  2  4  6  8  10  12  14  16

### Outside Plies

- Maple # of plies  2  4  6  8  10  12  14  16  18
- Birch # of plies  2  4  6  8  10  12  14  16  18
- Mahogany # of plies  2  4  6  8  10  12  14  16  18
- Artisan\* # of plies  2

\*Please see Step 8 for Artisan Veneer choices.

- **Step 5.** Specify the **BEARING EDGE**.

- 45 Degree, top **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- 45 Degree, bottom **Note:** CarbonPly Maple and shells with 10+ plies are available with 45 degree bearing edges only.
- Rounded 45 Degree, top
- Rounded 45 Degree, bottom
- Fully Rounded, top
- Fully Rounded, bottom

- **Step 6.** Specify the **SNARE BED**.

- Standard (Masters)
- Philharmonic

- **Step 7.** Specify the **AIR VENT**.

- Standard Position w/Round Die Cast Air Vent (Gold Plated)
- Golden Ratio Position w/Pentagonal Die Cast Air Vent (Gold Plated)

- **Step 8.** Specify the **EXTERIOR FINISH**. Choose from our selection of available lacquer finishes and Artisan wood veneers, or specify a custom lacquer finish, or color-match an existing Masterworks drum or kit. **Note:** Artisan veneers are 2 plies--the outer veneer plus a carrier wood. Burl mahogany outer veneer is laminated to a mahogany carrier; all other outer veneers are laminated to a maple carrier. Remember that the total number of plies should match your choice in **Step 2**.

- Available Lacquer Finish

Specify Finish - Please go to [www.pearldrums.com](http://www.pearldrums.com) to view available finishes

- Custom Lacquer Finish

Tape a swatch of the custom color here. Only one swatch is required per kit.

- ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Tamo
- Eucalyptus

- Finish Match** Existing Masterworks drums or kits can be finish-matched by specifying the serial number from any drum in the kit in the space below.

Specify Serial Number

- **Step 9.** Specify the following **HARDWARE** options.

### Type of Snare Drum

- Conventional
- Free Floating - available in 14"x3.5", 14"x5", & 14"x6.5" ONLY

### Hardware Color

- Chrome Plated
- Gold Plated
- Black Chrome Plated

**Note:** The hardware on Free Floating snare drums are natural aluminum and chrome. However, the 14"x3.5" (only) can be ordered with Black Chrome Plating.

### Hoops

- Die Cast
- SuperHoop II

### Lugs

- BRL (Reference, one piece)
- BRL (Reference, split)
- CL (Masters Premium, one piece)
- CL (Masters Premium, split)
- Tube Lugs
- Free Floating - for Free Floating drums ONLY

### Strainer

- SR-1000
- SR-1000F\*
- SR-010\*
- SR-020
- SR-018\*\*
- SR-017
- SR-015

### Snares (for 14")

- SN-1420C
- SN-1420D
- SN-1420I
- SN-1442C
- SN-1442D
- SN-1442I
- S-022

### Snares (for 14")

- S-022N
- S-022NG
- S-022NGU
- S-030N
- S-040
- S-041
- S-025\*

### Snares (for 13")

- SN-1320C
- SN-1320D
- SN-1320I
- S-029N

### Snares (for 12")

- S-031N
- S-033N

### Snares (for 10")

- S-032N

\*For Free Floating snare drums ONLY.

\*\*For snare drums 4" and shallower.

\*For S-010 Strainer ONLY.